

OUTLANDER





4WD GLS with optional equipment / Titanium Gray Metallic [U17]

OUT OF THIS WORLD

Enter the next frontiers of discovery. From urban streets to the far reaches of off-road adventures, Mitsubishi OUTLANDER's ability to explore has no limit. In any weather and condition, S-AWC (Super All Wheel Control) enables you to take full advantage of the OUTLANDER's 4x4 capabilities. And advanced safety technology forms comprehensive frontline, side and backline defense that makes rough conditions a pleasure to conquer.

Note: Equipment may vary by market. Please consult your local Mitsubishi Motors dealer/distributor for details.




4WD GLS with optional equipment / White Pearl [W13]

DYNAMIC REFINED STYLING

Solid, powerful looks boldly proclaim incomparable refinement, robustness and road performance. From assertive face to attractive tail, the OUTLANDER expresses the promise of unparalleled SUV driving pleasure.

Note: Equipment may vary by market. Please consult your local Mitsubishi Motors dealer/distributor for details.



REFRESHING SILENCE AND QUALITY

Driving the OUTLANDER is a pleasurable experience heightened by quick, responsive handling and high-quality craftsmanship. The ride is also extremely quiet thanks to enhanced noise reduction measures that lower engine, road and wind noise. From generous cabin space and comfortable seating to quality materials and refined amenities, every detail contributes to your traveling joy.




4WD GLS with optional equipment / Black leather interior



SEATING ARRANGEMENT

It's easy to flexibly arrange the second and third-row seats to carry almost any combination of passengers and luggage. You can even fold down all rear seatbacks to create an extremely large and flat luggage area.



A second-row seat sliding function provides easy access to the third-row seats.



COMFORTABLE THIRD ROW SEATS

Padding and springs in the third-row seat cushions contribute to riding comfort. You can recline the seatbacks to any of four settings.



4WD GLS with optional equipment / Black leather interior

Note: Equipment may vary by market. Please consult your local Mitsubishi Motors dealer/distributor for details.



4WD GLS with optional equipment / Black Pearl [X42]

WHEN LIFE THROWS YOU A CURVE, STAY IN TOTAL CONTROL.

Challenges arise when you least expect them. Whether navigating winding roads or snowy conditions, S-AWC (Super-All Wheel Control) vehicle dynamics control system supplies optimal drive torque to the rear wheels, as well as optimal drive and brake torque to the left and right front wheels, for incredible stability and control.

S-AWC (Super-All Wheel Control) Integrated vehicle dynamics control system


S-AWC raises your confidence on any road by combining electronically controlled 4WD with Mitsubishi Motors' proprietary Active Yaw Control [AYC], which uses braking to optimally distribute torque to the left and right wheels. Even if you unintentionally brake or accelerate too hard around a snow-covered turn, you can maintain control without extra steering effort because S-AWC detects road conditions on a real-time basis and adjusts braking, as well as coupling in the rear differential, to improve vehicle performance. An indicator in the instrument panel keeps you informed of S-AWC status. You can choose the AWC Eco, NORMAL, SNOW or GRAVEL drive mode depending on road conditions to enhance turning accuracy, straight-line stability and maneuverability on slippery roads.




AWC ECO mode
Normally provides fuel-efficient 2WD, but switches to 4WD when extra traction is needed.



NORMAL mode
Provides solid 4WD performance in various conditions.




SNOW mode
Enhances stability on slippery road surfaces and is optimized for snow-covered roads.



GRAVEL mode
Delivers excellent driving performance on rough roads and helps prevent you from getting stuck.

SOLID RESPONSE AND PROTECTION




INVECS-III CVT WITH MIVEC ENGINE

The engine is mated with an advanced CVT that automatically adjusts in response to changing road and vehicle conditions to deliver smooth, swift acceleration whenever you demand it, as well as outstanding fuel efficiency beyond what conventional automatic transmissions provide. Fully pressing the pedal now generates powerful response with the automatic transmission's step-up shift like exhilaration and reduced engine noise. For manual-like driving pleasure, you can also take advantage of the 6-speed Sports Mode and paddle shifters.


Power the OUTLANDER with your choice of three clean and efficient engines – the 2.0-liter MIVEC*, 2.4-liter MIVEC or 3.0-liter V6 MIVEC. The 2.0 and 2.4-liter engines are extremely responsive and fuel efficient, while the high-displacement V6 engine supplies supremely powerful acceleration even when carrying heavy loads or traveling up mountainsides.

*MIVEC (Mitsubishi Innovative Valve timing Electronic Control system)




STRUCTURAL ADHESIVES

Structural adhesive bonding on the door and tailgate openings increases coupling rigidity between body panels for improved steering stability.



ACTIVE STABILITY CONTROL [ASC]

If wheels lose their grip on slippery surfaces or while turning, ASC automatically adjusts engine output and applies braking force at the appropriate wheels to help maintain control and prevent skidding.




HILL START ASSIST [HSA]

When starting on a steep slope, HSA helps prevent you from rolling backwards while you release the brake by maintaining the braking force for up to two seconds until the accelerator is applied.

ASC: The control capabilities of ASC are supplemental only. Please drive safely and never rely solely on these functions while driving. Be sure to use the same specified type and size of tires on all 4 wheels. Do not install any aftermarket limited slip differential on your vehicle. Please see the owner's manual for additional information.

HSA: Hill Start Assist [HSA] is not a substitute for safe driving. Never rely solely on this function while driving on steep roads. Your vehicle may move backwards if the brake pedal is heavily loaded, or if the road is very steep or slippery. This function is not designed to keep the vehicle stopped in place on uphill slopes for more than 2 seconds. Do not rely on this function to maintain a stopped position as an alternative to depressing the brake pedal. Please see the owner's manual for additional information.



REASSURING ALL AROUND SAFETY

Advanced safety technology supports safer, more confident driving – on the road and in parking lots, day and night. From intelligent sensors that track your surroundings and warn you of danger to active driving assistance, the OUTLANDER delivers all around high levels of safety.

FORWARD COLLISION MITIGATION SYSTEM [FCM]

Helps prevent a frontal collision or reduce damage if the collision becomes unavoidable. Responds to vehicles and pedestrians via camera and laser radar.



Danger of collision



Warning + braking assistance

High danger of collision



Warning + auto braking

Extremely high danger of collision



Warning + strong auto braking

ADAPTIVE CRUISE CONTROL SYSTEM [ACC]

Maintains a selected distance between your vehicle and the car ahead via radar for greater safety and peace of mind. It reduces driver stress especially during traffic jams on highways.




ACC indication on multi-information display

No vehicle in front



Your selected speed is maintained even if you remove your foot from the accelerator pedal.

Vehicle in front



Your selected distance between vehicles is maintained.

Vehicle in front (slowing/stopping)




When the vehicle in front slows or stops, ACC slows or stops your vehicle.


AUTOMATIC HIGH-BEAM [AHB]

To increase safety, comfort and driving ease at night, the high beams automatically switch to low beams when vehicles are detected ahead and automatically switch back to high beams so you don't have to remove your hand from the steering wheel to switch the beams manually.

High-beam




Low-beam




BLIND SPOT WARNING [BSW]

This safety feature uses radar sensors in the rear bumper to detect vehicles in your rear blind spots, on the right and left sides. An indicator appears in the door mirror when BSW is active and the turn signals are off. When a vehicle is detected while the turn signal is on, an indicator blinks in the corresponding door mirror and a buzzer sounds.



REAR CROSS TRAFFIC ALERT [RCTA]

An indicator appears in the combination meter display when RCTA is active. If radar sensors in the rear bumper detect an approaching vehicle nearby while reverse gear is engaged, a warning message appears in the multi-information display, a buzzer sounds and an indicator blinks in both door mirrors.



ULTRASONIC MISACCELERATION MITIGATION SYSTEM [UMS]

To help prevent collisions while parking, a buzzer sounds and a warning displays if front or rear sensors detect a nearby obstacle. Engine output is also controlled if you suddenly accelerate by accident.


Engine output control activates:

- When driving at very low speeds (not in N or P position)
- When obstacle/vehicle is within a short distance
- When accelerator pedal is pushed hard or abruptly
- When driver is not turning to avoid obstacle/vehicle



RISE BODY

Collision safety performance is significantly enhanced by Mitsubishi Motors' RISE (Reinforced Impact Safety Evolution) body, which efficiently absorbs energy and maintains high cabin integrity in the event of a collision.



7 SRS AIRBAGS

In the event of a collision, seven SRS airbags help protect you and your passengers by absorbing the force of impact. The system includes front airbags, side airbags, curtain airbags and a driver's knee airbag.



Image of airbag deployment

Note:
FCM: The detection and control capabilities of Forward Collision Mitigation [FCM] are supplemental only and do not prevent collisions in every situation. Please drive safely and do not rely solely on this system while driving. FCM operates when a vehicle is in front of your vehicle. FCM is also designed to detect pedestrians, but may not detect them or be activated in some situations. Auto braking is activated for a car ahead when your vehicle is traveling at a speed of approx. 5km/h to 80km/h and for a pedestrian ahead at approx. 5km/h to 65km/h. Since FCM has no function to maintain braking, the brake is released approximately 2 seconds after stopping. To prevent the vehicle from rolling thereafter, the driver may have to hold the brake pedal down. In some cases, FCM may not function if the driver takes actions for accident avoidance through steering or acceleration operation. If you have any questions, please consult your local Mitsubishi Motors dealer/distributor for details.

ACC: The detection and control capabilities of ACC are supplemental only. Please drive safely and do not rely solely on this system while driving. ACC may not be activated in some situations. This system may not correctly detect the actual situation depending on the type of vehicle in front and its conditions, the weather conditions, and the road conditions. Additionally, the system may be unable to decelerate sufficiently if the vehicle in front applies the brakes suddenly or another vehicle cuts into your path, so your vehicle approaches the front vehicle. If you have any questions, please consult your local Mitsubishi Motors dealer/distributor for details.

AHB: This system activates at a speed of approx. 40km/h or more and deactivates at lower speeds. Please see the owner's manual for additional information.


Note: Equipment may vary by market. Please consult your local Mitsubishi Motors dealer/distributor for details.

Note:
BSW: The detection and control capabilities of Blind Spot Warning [BSW] are supplemental only and do not warn you of vehicles in blind spots in every situation. Please do not rely solely on this system while driving. Blind Spot Warning may not operate normally in some cases, depending on traffic, weather, road surface conditions and the presence of obstructions. Drivers are fully responsible for their own safe driving. The radar wave graphics are used for illustrative purposes only and do not represent the actual sensor application. Please see the owner's manual for additional information.

RCTA: Do not rely solely on Rear Cross Traffic Alert [RCTA], which may not detect all moving vehicles in certain conditions. Drivers are fully responsible for their own safe driving. The radar wave graphics are for illustrative purposes only and do not represent the actual sensor application. Please see the owner's manual for additional information.

UMS: The detection and control capabilities of Ultrasonic misacceleration Mitigation System [UMS] are supplemental only and do not prevent misacceleration in every situation. Please drive safely and do not rely solely on this system while driving. To prevent the engine output control provided by UMS from causing an impediment during normal driving in rough-road driving conditions, the system automatically de-activates and indicates UMS OFF in the meter cluster when the FCM function is OFF or the ASC function is OFF. No function completely stops the vehicle via the automatic braking. The vehicle may creep forward or backward even when engine output is regulated. The sensing system may not work for netlike and sharp-edged obstructions that do not sufficiently reflect ultrasonic sound. UMS does not include a function which keeps the vehicle stationary. The driver is responsible for stopping the vehicle by pressing the brake pedal as required by the driving conditions. The ultrasonic sensor wave graphics are for illustrative purposes only and do not represent the actual sensor application. Please see the owner's manual for additional information.

7 SRS Airbags: Airbags are part of a Supplemental Restraint System [SRS]. To decrease the risk of injury from a deploying airbag, always fasten your seat belt, sit upright in the middle of the seat and do not lean against the door. Always place children 12 and under in the rear seat if possible and use appropriate child restraints. If using a belt-fixed rear-facing infant restraint in the front seat, activate the SRS airbag cut-off switch. Please see the owner's manual and the instructions provided with your child restraint for additional information.





4WD GLS with optional equipment / Red Diamond [P62]

ANTI-TRAPPING ELECTRIC SUNROOF

A sunroof with tilt, sliding and anti-trapping features lets you bring in the sunlight and fresh air.




LED HEADLAMPS WITH LED DAYTIME RUNNING LAMPS AND LED FRONT FOG LAMPS

The stylish headlamps feature LED lighting for both the high and low beams. The LED fog lamps illuminate the road ahead with white light.



KEYLESS OPERATION SYSTEM [KOS]

When carrying the key, you can press a button on the outside of the front doors or tailgate to lock or unlock all the doors and tailgate, as well as press the engine switch in the cockpit to start or stop the engine.



REAR VENTS

Adjustable vents are provided in the rear console to keep rear passengers comfortable.




ELECTRIC TAILGATE

The tailgate can be opened and closed automatically from a switch located near the driver's seat.



ELECTRIC PARKING BRAKE WITH BRAKE AUTO HOLD

The parking brake on the floor console is easy to operate via stylish switch. Simply pull the switch up to apply the parking brake or push the switch down to release it. While stopping at a stoplight, Brake Auto Hold keeps the vehicle stationary even if you release your foot from the brake pedal. Pressing the accelerator releases the brakes.



REAR SPOILER

The rear spoiler has been optimized to further improve aerodynamic performance.



POWER LUMBAR SUPPORT

Power lumbar support offers easy fore and aft seatback pressure adjustment, reducing strain to the lower back to enhance driving comfort. Together with the other seat functions you can select the optimal driving position to match your physique.



18-INCH ALLOY WHEEL



16-INCH ALLOY WHEEL



16-INCH STEEL WHEELS WITH FULL WHEEL COVER

Note: Equipment may vary by market. Please consult your local Mitsubishi Motors dealer/distributor for details.

SMARTPHONE LINK DISPLAY AUDIO

Go where you want, when you want. Discover new places and new entertainment. Smartphone link Display Audio (SDA) helps you find such moments. The large 8-inch touch screen lets you intuitively operate music playback and calls with voice actions for a more enjoyable and safer drive. In addition, Smartphone link Display Audio (SDA) navigation system is also available.





Apple CarPlay™



You can use a number of audio, messaging, voice calling, and 3rd party navigation apps from your iPhone with CarPlay.

- 1 Maps
- 2 Siri
- 3 Phone
- 4 Some supported 3rd party apps

Note: Apple CarPlay is a trademark of Apple Inc., registered in the U.S. and other countries. For more information: www.apple.com/ios/carplay/



Android Auto™



Use Google Maps via your 8-inch center display. Voice activation capabilities allow hands-free use. Conveniently use your favorite apps in your car.

- 1 Maps
- 2 Google Assistant
- 3 Phone
- 4 Apps

Note: Google, Android, Android Auto and other related marks are trademarks of Google LLC. For more information: www.android.com/auto/



CD/MP3 PLAYER

A quality CD/MP3 player enables easy connection with a digital audio player for listening pleasure.




USB PORT

The port is conveniently located near the instrument panel, allowing easy access from both front seats.




BLUETOOTH® HANDS-FREE KIT

Keep in touch while keeping safely in control with the hands-free kit. Link your Bluetooth®-compatible mobile phone, and the voice-activated dialer lets you make calls while holding the wheel.



NAVIGATION


Multifunctional memory navigation with high resolution, high definition WVGA display includes a user-friendly interface and voice command functions. It also displays the traffic information and current speed limit for easier recognition and safer driving.



Rearview + Bird's-eye view


MULTI AROUND MONITOR

The views from cameras mounted on the front, rear and sides of the vehicle (including a bird's-eye view) can be displayed in various combinations to reveal what is in blind spots and help you park more safely.



Mitsubishi Power Sound System [MPSS]

Exclusively developed by Mitsubishi Motors, MPSS delivers clean, smooth and fresh acoustics expected of a premium car audio system. Eight speakers, including six glass fiber cloth with aluminum vapor cone door speakers and two titanium dome diaphragm tweeters surround the entire cabin with spectacular sound performance.



EQUIPMENT LEVEL

GLX

4WD 2.4L
2WD 2.0L



Key features

- 215/70R16 + 16" with full wheel covers
- 215/70R16 + 16" alloy wheels
- Front skid guard (silver painted)
- Rear skid guard (silver painted)
- Outer door handles (color-keyed)
- Power windows with anti-trapping and all doors auto up and down for driver's seat with illumination switch
- Color-keyed door mirrors and side turn lamps, electronically controlled with defoggers and folding function
- Door garnish (material color, silver)
- Wheel arch garnish
- Immobilizer
- Driver's and front passenger's SRS front airbags
- Front 3-point ELR seatbelt with force-limiter and pretensioner (single pretensioner)
- Electric power steering

- Tilt and telescopic-adjustable steering column
- ISO-FIX child restraint seat anchor x 2
- Keyless entry with 2 transmitters
- High-contrast combination meter cluster & multi-information display (color liquid crystal display)
- Gear shift indicator panel (material black)
- Dual-zone automatic climate control air conditioning system
- AM/FM radio, CD/MP3 player and 6 speakers and USB port (inside console box, single port type)
- Shark fin antenna
- Halogen headlamps with manual leveling
- LED rear combination lamps

Optional, shown:

- Cruise control
- Audio switch
- Inner door handles (chrome)
- Tonneau cover
- Display audio with AM/FM radio, CD/MP3 player, 6 speakers, USB port (instrument panel, single port type) and rear view monitor/camera
- Front fog lamps (reflector type)
- LED Daytime Running Lamps [DRL]
- Reverse warning

Note: For a complete list of standard and optional equipment, please refer to pages 19 to 21.

Note: Equipment may vary by market. Please consult your local Mitsubishi Motors dealer/distributor for details.

EQUIPMENT LEVEL

GLS

4WD 3.0L



Key features (in addition to GLX features)


- 225/55R18 + 18" alloy wheels
- Cruise control
- Active Stability Control [ASC], Hill Start Assist [HSA], Brake Assist (Hydraulic)
- Leather steering wheel (with glossy black paint & chrome accent) and shift knob
- Paddle shift on steering wheel
- Audio switch
- Inner door handles (chrome)
- High-contrast combination meter cluster & multi-information display (color liquid crystal display)
- Gear shift indicator panel (glossy black)
- Tonneau cover
- Front fog lamps (reflector type)


Optional, shown:

- Privacy glass (rear door, quarter window, tailgate)
- Chrome beltline moldings
- Rear spoiler
- Roof rails (silver)
- Driver's and front passenger's SRS side airbags & SRS curtain airbags, driver's SRS knee airbag, retractable assist grip x 4
- Forward Collision Mitigation [FCM] system
- Adaptive Cruise Control [ACC] system
- Automatic high-beam
- Multi Around Monitor
- Ultrasonic misacceleration Mitigation System [UMS]
- Corner sensors (8 points)
- Blind Spot Warning [BSW] with Lane Change Assist
- Rear Cross Traffic Alert [RCTA]
- Hands-free module and switch
- Synthetic leather seats with stitches
- Power seat adjuster (driver's seat)

- Seat heater (front seats)
- Accent panel (piano black with silver molding)
- Sunroof
- Auto dimming rear view mirror
- Smartphone - link Display Audio (SDA), 6 speakers + USB port (instrument panel, Rear side of center armrest)
- LED headlamps with auto leveling device
- Headlamp washers (pop-up type)
- Front fog lamps (LED)
- LED Daytime Running Lamps [DRL]
- Rear fog lamp (driver's side)
- Auto rain-sensing variable intermittent windshield wipers with intelligent washers and auto lighting control
- S-AWC (Super-All Wheel Control) with S-AWC Decal

Note: For a complete list of standard and optional equipment, please refer to pages 19 to 21.





EXTERIOR COLORS



Sterling Silver Metallic (U25)



Red Diamond (P62)



Quartz Brown Metallic (C06)



Titanium Gray Metallic (U17)



Black Pearl (X42)



White Pearl (W13)







Tanzanite Blue Pearl (D14)



White Solid (W37)

SEAT MATERIALS



Note: Leather seats include synthetic leather on the sides, rear, partial seating surfaces and head restraint (also on rear center armrest, door armrests and door trim etc.). Equipment may vary by market. Please consult your local Mitsubishi Motors dealer/distributor for details.

EXTERIOR COLORS AND SEAT MATERIALS

Model	Basic color	GLX		GLS	
		Beige	Black	Beige	Black
Seats	Material	Fabric with stitches		Synthetic leather with stitches (Optional)	
		Leather with stitches (Optional)		Synthetic leather with stitches (Optional)	
Availability					
Sterling Silver Metallic	U25	■	■	■	■
Quartz Brown Metallic	C06	■	■	■	■
Black Pearl	X42	■	■	■	■
Cosmic Blue Metallic	D14	■	■	■	■
Red Diamond	P62	■	■	■	■
Titanium Gray Metallic	U17	■	■	■	■
White Pearl	W13	■	■	■	■
White Solid	W37	■	■	■	■


Note: Colors shown may differ slightly from actual colors due to printing process. Please consult your local Mitsubishi Motors dealer / distributor for details.

Note: Equipment may vary by market. Please consult your local Mitsubishi Motors dealer/distributor for details.

TECHNICAL SPECIFICATIONS

Grade	GLX						GLS	
	2.0L			2.4L			3.0L	
Engine	2WD			4WD				
Wheel drive	2WD			4WD				
Transmission	CVT						6AT	
Seating	5		7		5		7	
Model code	GF2WXTSGL	GF2WXTMGL	GF2WXTMHZR	GF3WXTSHZL	GF3WXTMGZL GF3WXTMGZR	GF3WXTMHZL	GF4WXLXGZL	GF4WXLXYZL
Dimensions and weights								
Overall length				4695				
Overall width				1810				
Overall height	Without roof rail			1710				
	With roof rail			1710				
Wheelbase				2670				
Track	Front			1540				
	Rear			1540				
Ground clearance (unladen)				190			215	
Curb weight	Total		1430	1460	1530	1505	1535	1590
	Front		830	830	860		865	915
	Rear		600	630	670	640	670	675
Gross vehicle weight			1985	2170	2210	2120	2210	2280
Gross axle weight	Front					1150		
	Rear					1250		
Seating capacity	5		7		5		7	
Performance								
Max. speed	193			198			205	
Acceleration	0-100 km/h		11.4	12.0	10.5			8.7
	120-140 km/h		7.3	7.7	6.1			4.8
	0-400 m		18.4	18.7	17.7			16.5
Min. turning radius				5.3				
Engine								
Type (code)	DOHC MIVEC (4B11)			DOHC MIVEC (4B12)			SOHC MIVEC (6B31)	
Fuel type / octane	Unleaded / RON 90 and over*						Unleaded / RON 95 and over	
Total displacement	1998			2360			2998	
Bore x stroke	86.0 x 86.0			88.0 x 97.0			87.6 x 82.9	
Compression ratio	10.0			10.5				
Max. output (EEC net)	107 (145)/6000			123 (167)/6000			169 (230)/6250	
Max. torque (EEC net)	196 (20.0)/4200			222 (22.6)/4100			292 (29.8)/3750	
Fuel system								
Fuel supply system	Electronically Controlled Injection							
Fuel tank capacity	63			60				
Electrical system								
Alternator	12-105			12-105			12-120	
Starter	V-kW			12-1.3			12-1.4	
Transmission								
Type	CVT			CVT			6AT	
Gear ratio	D range		2.631-0.378			-		
	1st		-			4.199		
	2nd		-			2.405		
	3rd		-			1.583		
	4th		-			1.161		
	5th		-			0.855		
	6th		-			0.685		
	Reverse		1.960			3.457		
Final		6.026			3.360			
Steering								
Type	Rack and pinion (electric power assisted)							
Suspensions								
Front	MacPherson strut with coil springs and stabilizer bar							
Rear	Multi link with coil springs and stabilizer bar							
Brakes								
Front	Ventilated discs							
Rear	Discs							
Tires and wheels								
Tires (front and rear)	215/70R16						225/55R18	

* Unleaded / RON 95 and over for models available in Azerbaijan. Note: Hazardous driving may cause serious injury or vehicle damage. Please drive safely at all times.



STANDARD AND OPTIONAL EQUIPMENT

■ Standard □ Optional - Not available

Grade	GLX						GLS
	2.0L 4B11		2.4L 4B12		3.0L 6B31		
Engine	2WD		4WD				
Model code	CVT						6AT
Wheel drive	LHD		RHD		LHD		RHD
Transmission	5	7	5	7	5	7	
Drivetrain and Chassis							
Drivetrain	Electronically controlled 4WD (4WD AUTO / 4WD ECO / 4WD LOCK)						
	S-AWC (Super-All Wheel Control) with S-AWC Decal (4WD models only)						
	Front axle drive (2WD)						
Suspensions	Front	MacPherson strut with coil springs and stabilizer bar					
	Rear	Multi link with coil springs and stabilizer bar					
Tires and wheels		215/70R16 + 16" with full wheel covers					
		215/70R16 + 16" alloy wheels					
		225/55R18 + 18" alloy wheels					
	Spare	215/70R16 + 16" steel wheel					
		215/70R16 + 16" alloy wheel					
		225/55R18 + 18" alloy wheel					
Brakes	4ABS + EBD						
	Brake override system						
	Front ventilated disc brakes						
	Rear disc brakes						
Others	Cruise control						
	Shift lock with key inter-lock						
	T/M oil cooler						
Exterior							
Bumpers	Front bumper (color-keyed)						
	Rear bumper (color-keyed)						
	Front skid guard (silver painted)						
	Rear skid guard (silver painted)						
Radiator grille	Radiator grille (chrome)						
Door	Outer door handles (color-keyed)						
	Outer door handles (chrome)						
	Power windows with anti-trapping and all doors auto up and down for driver's seat with illumination switch						
	Electric tailgate						
Door mirrors	Color-keyed door mirrors and side turn lamps, electronically controlled with defoggers and folding function						
Glass	Windshield - Laminated green with sound proof						
	Front, rear door and quarter - Tempered green						
	Rear window - Tempered green with hot wire and timer						
	Privacy glass (rear door, quarter window, tailgate)						
Moldings	Black beltline moldings						
	Chrome beltline moldings						
Others	Tail pipe (single)						
	Tailgate garnish (color-keyed, chrome)						
	Door garnish (material color, silver)						
	Side sill garnish (material color)						
	Scuff plate						
	Rear spoiler						
	Roof rails (silver)						
	Wheel arch garnish						
Ornaments and badges	"OUTLANDER" mark on rear left side						
	4WD decal on rear right side						
Safety and Security							
Security	Immobilizer						
	Theft protection devices						
	- Door and hood opening detection						
	- Alarm: Horn, extra horn, side indicator						
	Premium security alarm system (in addition to standard theft protection device)						
Airbags	Driver's and front passenger's SRS front airbags						
	Driver's SRS knee airbag						
	Driver's and front passenger's SRS side airbags & SRS curtain airbags, retractable assist grip x 4						
	Driver's and front passenger's SRS side airbags & SRS curtain airbags, driver's SRS knee airbag, retractable assist grip x 4						
Seatbelts	Front	Front 3-point ELR seatbelt with force-limiter and pretensioner (single pretensioner)					
		Adjustable type belt anchor					
	2nd row	3-point belt with ELR x 3					
	3rd row	3-point belt with ELR x 2					

Note: Equipment may vary by market. Please consult your local Mitsubishi Motors dealer/distributor for details.

STANDARD AND OPTIONAL EQUIPMENT

■ Standard □ Optional - Not available

Grade	GLX						GLS
	2.0L 4B11		2.4L 4B12		3.0L 6B31		
Engine	2WD		4WD				
Model code	CVT						6AT
Wheel drive	LHD		RHD		LHD		RHD
Transmission	5	7	5	7	5	7	
Safety and Security							
Others	Active Stability Control [ASC], Hill Start Assist [HSA], Brake Assist (Hydraulic)						
	Forward Collision Mitigation [FCM] system						
	Adaptive Cruise Control [ACC] system						
	Automatic high-beam						
	Multi Around Monitor						
	Ultrasonic misacceleration Mitigation System [UMS]						
	Corner sensors (8 points)						
	Blind Spot Warning [BSW] with Lane Change Assist						
	Rear Cross Traffic Alert [RCTA]						
	Reverse warning						
Interior							
Steering and shift knob	Electric power steering						
	Tilt and telescopic-adjustable steering column						
	Urethane steering wheel (with silver accent) and shift knob						
	Leather steering wheel (with glossy black paint & chrome accent) and shift knob						
	Paddle shift on steering wheel						
	Audio switch						
	Cruise control switch						
	Hands-free module and switch						
	Lever-type parking brake with chrome release switch						
Seats	Material	Fabric with stitches					
		Synthetic leather with stitches					
		Leather with stitches					
	Driver	Sliding, reclining and seat height adjustment					
		Seatback pocket on leather seat					
		Power seat adjuster on synthetic leather and leather seat					
		Seat heater on synthetic leather and leather seat					
		Power lumbar support (driver's side)					
	Front passenger	Sliding and reclining					
		With seatback pocket					
		Seat heater on synthetic leather and leather seat					
	2nd row	Separate type with center armrest and cup holder					
		Reclining					
		Split slide					
		Double action folding					
		Walk-in system					
	3rd row	Separate type					
		Reclining					
		Fold and stow feature					
	Other	ISO-FIX child restraint seat anchor x 2					
Headrests	Front	Height adjustable - 2 pieces					
	2nd row	3 pieces					
	3rd row	2 pieces					
Door trim	Type	Form type with cloth insert					
		Form type with PVC leather insert					
	Accent panel	Piano black					
		Piano black with silver molding					
		Silver carbon with silver molding					
	Front	With molded door pocket and bottle holder					
	Rear	With molded door pocket and bottle holder					
Door	Inner door handles (material color)						
	Inner door handles (chrome)						
Locking system	Center door locking system						
	Child proof						
	Keyless entry with 2 transmitters						
	Keyless Operation System [KOS] with two Keyless Operation Keys and power switch						
	Tailgate opener (electric type)						
	Fuel lid opener						
	Ignition key cylinder with illumination						

WARNING

• Individuals who use implantable pacemakers or implantable cardioverter-defibrillators should keep away from the transmitting antenna of keyless operation system. The electromagnetic waves used in the keyless operation system may affect the operation of implantable pacemakers or implantable cardioverter-defibrillators.
 • Individuals using other electro-medical apparatuses should check with the manufacturer of the apparatus to confirm the effect of the electromagnetic waves used by the keyless operation system, as the electromagnetic waves may affect their operations.

STANDARD AND OPTIONAL EQUIPMENT

■ Standard □ Optional - Not available

Grade		GLX				GLS	
		2.0L 4B11		2.4L 4B12		3.0L 6B31	
Wheel drive		2WD		4WD			
Transmission		CVT				6AT	
Steering		LHD	RHD	LHD	RHD	LHD	
Seating		5	7	5	7		
Interior	Roof						
	Sunroof*	□	□	□	□	□	
	Sunglass pocket*	□	□	□	□	□	
	Knitted fabric headlining	■	■	■	■	■	
	Driver's and front passenger's sunvisor with vanity mirror, lid and ticket holder with light illumination	■	■	■	■	■	
	Day and night rear view mirror	■	■	■	■	■	
	Auto dimming rear view mirror	□	□	□	□	□	
	Retractable assist grip x 3	■	■	■	■	■	
	Coat hanger x 1	■	■	■	■	■	
	Carpet						
	Floor carpet (needle punch)	■	■	■	■	■	
	Luggage floor carpet (needle punch)	■	■	■	■	■	
Instrument panel	Accent panel	Soft upper surface of instrument panel and front door trims	■	■	■	■	■
		Piano black	■	■	■	■	■
		Piano black with silver molding	□	□	□	□	□
		Silver carbon with silver molding	□	□	□	□	□
		Combination meter cluster & multi-information display (mono-color liquid crystal display)	■	-	■	-	-
		High-contrast combination meter cluster & multi-information display (color liquid crystal display)	□	■	□	■	■
		Rheostat	■	■	■	■	■
		Glove box with lamp	■	■	■	■	■
		Ashtray	■	■	■	-	-
		Accessory socket in floor console box	■	■	■	-	-
Floor console							
	Electric Parking Brake	-	-	-	■	■	
	Brake Auto Hold	-	-	-	■	■	
	Large type floor console and armrest with silver stitches	■	■	■	■	■	
	Cup holder for front seat	■	■	■	■	■	
Shift indicator							
	USB port (rear side of center console x 2)	-	-	-	□	□	
Others							
	Gear shift indicator panel (material black)	■	■	■	■	-	
Air Conditioning and Audio	Air conditioning	Gear shift indicator panel (glossy black)	□	□	□	□	■
		Head protection interior	■	■	■	■	■
		Tonneau cover	□	□	□	□	□
		Luggage room hook	■	■	■	■	■
		Tailgate inside grip	■	■	■	■	■
		Luggage floor box	□	■	□	■	■
		Tool set (simple set) and jack set	■	■	■	■	■
		Upgraded silence	□	□	□	□	□
		Dual-zone automatic climate control air conditioning system	■	■	■	■	■
		Air filter	■	■	■	■	■
Air conditioning cooling capacity up**	-	-	-	□	□		
Audio system							
	Rear vents	-	-	-	■	■	
	AM/FM radio, CD/MP3 player and 6 speakers and USB port (instrument panel, single port type)	■	■	■	■	■	
	Display audio with AM/FM radio, CD/MP3 player, 6 speakers, USB port (instrument panel, single port type) and rear view monitor/camera	□	□	□	□	□	
Antenna							
	Smartphone - link Display Audio (SDA), 6 speakers + USB port (instrument panel, Rear side of center armrest)	-	-	□	□	□	
	Mitsubishi Power Sound System (8 speakers)	-	-	□	□	□	
Electrical	Exterior lamps	Shark fin antenna	■	■	■	■	■
		Halogen headlamps with manual leveling	■	■	■	■	■
		LED headlamps with auto leveling device	□	□	□	□	□
		Headlamp washers (pop-up type)	□	□	□	□	□
		Front fog lamps (reflector type)	□	□	□	□	■
		Front fog lamps (LED)	□	□	□	□	□
		High-mount stop lamp on tailgate	■	■	■	■	■
		LED rear combination lamps	■	■	■	■	■
		LED position lamps	■	■	■	■	■
		LED Daytime Running Lamps [DRL]	□	□	□	□	□
Interior lamps							
	Rear fog lamp (driver's side)	□	□	□	□	□	
	Front room lamp with map lamp	■	■	■	■	■	
Wipers							
	Rear room lamp	■	■	■	■	■	
	Luggage room lamp	■	■	■	■	■	
	Windshield intermittent (variable) wipers with washer	■	■	■	■	■	
	Auto rain-sensing variable intermittent windshield wipers with intelligent washers and auto lighting control	□	□	□	□	□	
	Rear intermittent wiper and washer	■	■	■	■	■	


* Sunroof and sunglass pocket cannot be installed together.

** Only available in limited countries.


Note: Equipment may vary by market. Please consult your local Mitsubishi Motors dealer/distributor for details.

DIMENSIONAL VIEWS

5-SEATER



7-SEATER



Note: Roof rails (silver) and rear spoiler are optional.

All measurements in millimeters.